Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name: 00420 New Scratch Clear Wax-Mirror Finish-D&B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: treatment of automobile painted surfaces.

Uses advised against: not determined.

## 1.3. Details of the supplier of the safety data sheet

Supplier: Nowy Samochód S.A.

Address: ul. Zbyszka Cybulskiego 3, 00-725 Warszawa, PL

Telephone/fax: +48 602-444-356

E-mail address for a competent person responsible for SDS: info@soft99.pl

#### 1.4. Emergency telephone number

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

### **Aquatic Chronic 4** H413

May cause long lasting harmful effects to aquatic life.

#### 2.2. Label elements

Hazard pictograms and signal words

None.

Hazardous components placed on the label

None.

### **Hazard statements**

H413 May cause long lasting harmful effects to aquatic life.

### **Precautionary statements**

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves.

P501 Dispose of contents/container to properly labelled waste containers according to national law.

# Additional information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

PBT: not applicable.

vPvB: decamethylcyclopentasiloxane.

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable.

#### 3.2. Mixtures

CAS number: — EC number: 918-167-1 Index number: — Registration number: 01-2119472146-39-XXXX	hydrocarbons, C11-C12, isoalkanes, <2% aromatics Flam. Liq. 3 H226, Asp. Tox. 1 H304, Aquatic Chronic 4 H413 EUH066 <sup>1)</sup>	40% < C < 50%
CAS number: 13463-67-7 EC number: 236-675-5 Index number: 022-006-00-2 Registration number: —	titanium dioxide Carc. 2 H351	C < 1%
CAS number: 541-02-6 EC number: 208-764-9 Index number: — Registration number: —	decamethylcyclopentasiloxane The substance is not classified as hazardous.	C < 1%

<sup>1)</sup> Additional hazard statement.

Full text of each H phrase is given in section 16.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

#### Contact with skin

Take off contaminated clothing. Wash the exposed parts of the skin thoroughly with water and soap. Consult a doctor if disturbing symptoms appear.

#### Contact with eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for 10 - 15 minutes. Avoid powerful water stream – risk of cornea damage. Consult a ophthalmologist if disturbing symptoms appear.

#### Ingestion

Consult a doctor, show the packaging or label. Do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.

# After inhalation

Remove the victim to fresh air, keep warm and at rest. Consult a doctor if disturbing symptoms appear.

## 4.2. Most important symptoms and effects, both acute and delayed

#### Contact with skin

The product may cause redness, burning sensation, skin dryness.

## Contact with eyes

The product may cause burning sensation, tearing, conjunctival redness.

#### Ingestion

May cause nausea, vomiting, abdominal pains.

## After inhalation

Exposure by this route does not cause negative health effects.

# Effects of exposure

There are no known significant effects or critical hazards with the correct use of the product.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

#### 4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: carbon dioxide, water spray, sand, extinguishing foam resistant to alcohols, extinguishing powder.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

#### 5.2. Special hazards arising from the substance or mixture

During the fire may produce harmful gases containing e.g. carbon monoxides, nitrogen oxides, other hazardous unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

#### 5.3. Advice for firefighters

Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool down the containers that are endangered by fire with a water spray from a safe distance. Personal protection typical in case of fire. Collect used extinguishing media.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that only the trained personnel removes the effects of the accident. In case of large spills, isolate the exposed area. Caution: risk of slipping on the released product. Wear shoes with anti-slip soles. Use personal protective equipment.

#### 6.2. Environmental precautions

Do not allow the product to get into the sewage system, surface waters and soil. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

## 6.3. Methods and material for containment and cleaning up

Collect damaged packages mechanically. Collect the spilled product with incombustible absorbing materials (e.g. sand, earth, universal binding agents) and place it in labelled containers. Proceed in accordance with applicable regulations. Use non-sparking tools. Ventilate the contaminated area.

#### 6.4. Reference to other sections

Appropriate conduct with waste product – see section 13. Personal protective equipment – see section 8.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Provide general and / or local ventilation in the workplace. Use personal protective equipment. Before break and after work wash hands carefully. Keep the unused containers tightly closed. Do not eat, drink and smoke during the work. Avoid eyes and skin contamination.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in properly labeled, sealed packages in a dry, cool and well-ventilated place. Keep away from incompatible materials (see subsection 10.5). Keep away from, foodstuffs and animal feed.

# 7.3. Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

#### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Occupational Exposure Limit Values

Specification	WEL 8 hour	WEL 15 min	Comments
titanium dioxide	_	_	_
- inhalable fraction	10 mg/m <sup>3</sup>	_	_
- respirable fraction	4 mg/m³	_	_

EH40/2005 Workplace exposure limits. Fourth Edition 2020.

#### Recommended control procedures

Not applicable.

**DNEL and PNEC** 

Not applicable.

#### 8.2. Exposure controls

#### Industrial hygiene

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Ensure adequate general and/or local ventilation at the workplace.

## Individual protection measures

The necessity to use and the selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

## Hand protection

Use protective gloves resistant to chemicals according to EN 374. Select the material for the gloves individually at the workplace. Recommended material for gloves: PVC.

The glove material has to be impermeable and resistant to the product. The choice of material for protective gloves should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact breakthrough time has to be obtained from the glove manufacturer and it must be observed.

# Body protection

Depending on the performed task, use protective clothing appropriate to the potential hazard. In case of a prolonged contact with the product, use protective clothing made of coated or impregnated fabrics.

#### Eye protection

If there is a risk of eye contamination, use safety glasses in accordance with the EN 166 standard.

### Respiratory protection

Not required with adequate ventilation. In cases where the risk assessment indicates that it is necessary, respiratory protective equipment compliant with the EN136 standard (masks) or EN 140 (half masks, quarter masks) should be used.

### Thermal hazards

Not applicable.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

#### **Environmental exposure controls**

Prevent direct release to drains/ surface waters. Do not contaminate surface waters and drainage ditches with chemicals or used containers. Released product or uncontrolled spills to surface waters should be reported to appropriate authorities in accordance with local and national legislations. Dispose as chemical waste, in accordance with local and national legislation.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: faint

Melting point/freezing point: not determined

Boiling point or initial boiling point and boiling

range:  $100\,^{\circ}\mathrm{C}$  Flammability: not applicable

Lower and upper explosion limit: 0,6-6 % vol. (EC: 918-167-1)

Flash point: > 60 °C

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH: not determined

Kinematic viscosity: > 20,5 mm²/s (40 °C)

Solubility: not soluble in water

Partition coefficient n-octanol/water (log value): not applicable

Vapour pressure: not determined

Vapour pressure: not determined
Density and/or relative density: not determined
Relative vapour density: not determined
Particle characteristics: not applicable

## 9.2. Other information

No additional tests.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is not very reactive. It does not go under hazardous polimeryzation. See also subsection 10.3-10.5.

#### 10.2. Chemical stability

The product is stable under normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

## 10.4. Conditions to avoid

Not known.

#### 10.5. Incompatible materials

Not known.

# 10.6. Hazardous decomposition products

Not known.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

## SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

ricate toxicity			
hydrocarbons, C11-C12, isoalkanes, <2% aromatics			
LC50 (inhalation, rat)	> 4951 mg/m³/4h		
LDso (oral, rat)	> 5000 mg/kg		
titanium dioxide [CAS 13463-67-7]			
LCso (inhalation, rat)	5,09 mg/l/4h		
decamethylcyclopentasiloxane [CAS 541-02-6]			
LC50 (inhalation, rat)	8,67 mg/l/4h		
LD50 (oral, rat)	> 5000 mg/kg		
LD50 (skin, rabbit)	> 2000 mg/kg		
Mixture			
Based on available data, the classification criteria are no	ot met.		

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met. The product contains titanium dioxide, which is classified as Carc. 2, however, due to its form, there is no possibility of exposure to product's dusts. The product is not classified as carcinogenic.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

Exposure route: eye exposure, skin exposure, inhalation, ingestion. For more information on the impact of each possible route of exposure, see subsection 4.2.

Symptoms related to the physical, chemical and toxicological characteristics

No data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

## 11.2. Information on other hazards

**Endocrine disrupting properties** 

The components of the mixture are not assessed as endocrine disrupting substances.

Other information

No data.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

# SECTION 12: Ecological information

# 12.1. Toxicity

decamethylcyclopentasiloxane [CAS 541-02-6]		
LC50 (fish)	> 16 µg/l / 96 h Oncorhynchus mykiss	method: OECD 204 / U.S. EPA. (1975)
NOEC (fish)	≥ 14 µg/l / 90 days Oncorhynchus mykiss	method: OECD 210
EC50 (invertebrates)	> 2.9 µg/l / 48 h Daphnia magna	method: OECD 202 / U.S. EPA. (1975)
NOEC (invertebrates)	≥ 15 µg/l / 21 days Daphnia magna	method: OECD 211
EC50 (algae)	> 12 µg/l / 96 h Pseudokirchneriella subcapitata	method: OECD 201 / EPA OTS 797.1050
EC50 (human)	> 2000 mg/l / 3 h —	method: EU Metoda C.11

### Mixture

May cause long lasting harmful effects to aquatic life.

### 12.2. Persistence and degradability

decamethylcyclopentasiloxane CAS 541-02-6	Hardly biodegradable	0,14%/28 days	method: OECD 310
--	----------------------	---------------	------------------

# 12.3. Bioaccumulative potential

hydrocarbons, C11-C12, isoalkanes, <2% aromatics	log Po/w=≥ 1,99 - ≤ 6,73	_	method: (Q)SAR
decamethylcyclopentasiloxane CAS 541-02-6	log Po/w=8,07	BCF 1950	method: OECD 305

# 12.4. Mobility in soil

Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

### 12.5. Results of PBT and vPvB assessment

PBT: not applicable.

vPvB: decamethylcyclopentasiloxane.

### 12.6. Endocrine disrupting properties

The components of the mixture are not assessed as endocrine disrupting substances.

# 12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

# SECTION 13: Waste treatment methods

## 13.1. Disposal considerations

Recommendations for the product

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

The waste product should be recovered or disposed of in authorized incineration plants or waste disposal / neutralization plants, in accordance with applicable regulations. Do not empty into drains. The waste code should be given in the place of its formation.

## Recommendations for used packaging

Reuse / recycle / eliminate empty containers in accordance with the local legislation. Only completely empty containers can be reused.

EU legal acts: directives of the European Parliament and of the Council: 2008/98 / EC as amended and 94/62 / EC as amended.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

#### SECTION 14: Transport information

#### 14.1.UN number or ID number

Not applicable, the product is not dangerous during transport.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Not applicable.

## 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Additional data

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ADR Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

 $2020/878/EU\ COMMISSION\ REGULATION\ of\ 18\ June\ 2020\ amending\ Annex\ II\ to\ Regulation\ (EC)\ No\ 1907/2006\ of\ the$   $European\ Parliament\ and\ of\ the\ Council\ concerning\ the\ Registration,\ Evaluation,\ Authorisation\ and\ Restriction\ of\ Chemicals.$ 

2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

94/62/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents (as amended).

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII, REACH): decamethylcyclopentasiloxane.

The components of the mixture are not included in Annex XIV of the REACH Regulation.

### 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

# SECTION 16: Other information

## Full text of H phrases mentioned in section 3

EUH066 Repeated exposure may cause skin dryness or cracking.

Date of issue: 10.07.2017 Date of update: 30.11.2021 Version: 4.0/EN

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H351 Suspected of causing cancer.

H413 May cause long lasting harmful effects to aquatic life.

# Clarification of abbreviations and acronyms

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

DNEL Derived No-Effect Level.

EC50 (median effective concentration) - statistically calculated concentration of a chemical substance in an

environmental medium that can cause specific effects in 50% of the tested organisms of a given

population under certain conditions.

EN European standard

IATA The International Air Transport Association.

IMDG International Maritime Dangerous Goods Code.

LC50 Concentration of a substance that is lethal to 50 percent of the organisms in a toxicity test.

LD50 Dose of a substance that is lethal to 50 percent of the organisms in a toxicity test.

NOEC The highest concentration that does not cause a statistically significant adverse effect in the exposed

population, when compared with its appropriate control.

OECD Organisation for Economic Cooperation and Development

PBT Persistent, bioaccumulative and toxic substance.

PNEC Predicted no-effect concentration.

vPvB Very persistent and very bioaccumulative substance.

Aquatic Chronic 4 Hazardous to the aquatic environment - Chronic - category 4

Asp. Tox. 1 Aspiration hazard - category 1
Carc. 2 Carcinogenicity - category 2
Flam. Liq. 3 Flammable liquid - category 3

### **Trainings**

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

# Key literature references and sources of data

This SDS was prepared on the basis of the safety data sheet provided by the manufacturer, literature data, online databases (e.g. ECHA, TOXNET, COSING), our knowledge and experience, taking into account the current legislation.

# Procedures used for the mixture classification according with Regulation 1272/2008/EC as amended

Aquatic Chronic 4 H413 calculation method

# Additional information

Changes: section: 1-16

SDS issued by: THETA Consulting Sp. z o.o.