according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 1/10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name:

20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Cleaning and anti-fog coating for spectacles

Uses advised against: undefined

1.3. Details of the supplier of the safety data sheet

Nowy Samochód S.A. ul. Zbyszka Cybulskiego 3, 00-725 Warszawa, Polska +48 602-444-356 info@soft99.pl

1.4. Emergency telephone number European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3
H226 Flammable liquid and vapour.
Skin Irrit. 2
H315 Causes skin irritation.
Eye irrit 2
H319 Causes serious eye irritation.
Skin Sens. 1A
H317 May cause an allergic skin reaction.
Aquatic Chronic 2
H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labeling according to Regulation (EC) No 1272/2008

Signal word



Pictograms



Substances to be listed on the label

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Octhilinone

3-iodo-2-propynyl butylcarbamate

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 2/10

Hazard statements	
H319 Causes seriou	ritation. allergic skin reaction.
Precautionary state	ements
P102 Prevention	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing vapours/spray.
P273	Avoid release to the environment.
Response	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
Storage	
 Removal	
P501	Dispose of contents/container to properly labeled waste containers in accordance with local regulations.
Labelling for conte	nts according to Regulation (EC) No 648/2004:
anionic surfactants	< 5%
non-ionic surfactan	ts < 5%
	s (IODOPROPYNYL BUTYLCARBAMATE, OCTYLISOTHIAZOLINONE, DTHIAZOLINONE, METHYLISOTHIAZOLINONE)
Other hazards	
This mixture does n	ot contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.

2.3.

There is no information about substances identified as having endocrine disrupting properties.

SECTION	ON 3: Composition/information on ing	gredients		
3.1. 3.2.	Substances - not applicable Mixtures			
	Name of substance	Identifier	Classification 1272/2008	% weight
	Ethanol ^[2]	Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6	Flam. Liq. 2 H225	25 - 35
	Propan-2-ol ^[2]	Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	< 0,1
	Formic acid ^{[1] [2] [3]}	Index: 607-001-00-0 CAS: 64-18-6 EC: 200-579-1	Skin Corr. 1A H314	< 0,1

SAFETY DATA according to Regulation (EU) 2020			SOFT 99	
20162 Eyewear cleaning and anti-fog wipes, 20 pcs.				
of compilation: 28.02.2022 Revisio	on: 11.10.2024	ver. 3.0	Page: 3/10	
3-iodo-2-propynyl butylcarbamate	Index: 616-212-00-7 CAS: 55406-53-6 EC: 259-627-5	Acute Tox. 3 Acute Tox. 4 STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic M(Acute) = 10 M(Chronic) = 1	H331 < 0,1 H302 H372 H318 H317 H400 1 H410	
Reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) ^[1]	Index: 613-167-00-5 CAS: 55965-84-9 EC:	Acute Tox. 2 Acute Tox. 2 Acute Tox. 3 Skin Corr. 1C Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic M(Acute) = 100 M(Chronic) = 100		
Octhilinone ^[1]	Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7	Acute Tox. 2 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1 Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic M(Acute) = 100 M(Chronic) = 100 EUH071		
Remarks				
The full meaning of the risk phrases H included i ^[1] Specific concentration limits Formic acid: Skin Corr. 1B; : $10 \% \le C < 90 \%$ Skin Corr. 1A; : $C \ge 90 \%$ Eye Irrit. 2; : $2 \% \le C < 10 \%$ Reaction mass of 5-chloro-2- methyl-2H-isot Skin Corr. 1C; H314: $C \ge 0,6 \%$, Skin Irrit. 2; H315: $0,06 \% \le C < 0,6 \%$, Eye Dam. 1; H318: $C \ge 0,6 \%$, Eye Irrit. 2; H319: $0,06 \% \le C < 0,6 \%$, Skin Sens. 1A; H317: $C \ge 0,0015 \%$ Octhilinone: inhalation: ATE = $0,27 \text{ mg/L}$ (dusts or mists) dermal: ATE = 311 mg/kg bw oral: ATE = 125 mg/kg bw Skin Sens. 1 A; H317: $C \ge 0,0015 \%$ ^[2] Substance for which there are national occu	hiazol-3-one and 2-methyl-2		1):	

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 4/10

4.1.	Description of first aid measures
	Skin contact
	Remove contaminated clothing immediately.
	Clean contaminated skin, wash with plenty of water, then wash with water and mild soap.
	If skin irritation persists, consult a doctor.
	Eye contact
	Remove contact lenses.
	Rinse contaminated eyes with lukewarm water for 10-15 minutes.
	Avoid strong water stream - risk of cornea damage.
	Provide medical assistance if necessary.
	Ingestion
	Do not induce vomiting.
	Rinse mouth with water.
	If medical advice is needed, have product container or label at hand.
	If unconscious – do not give the person anything to swallow.
	Provide medical assistance. Transport the injured person to a hospital if necessary.
	Inhalation
	Remove person to fresh air and keep comfortable for breathing.
	Ensure warmth and calm.
	Provide medical assistance if necessary.
1.2.	Most important symptoms and effects, both acute and delayed
	No data available
1.3.	Indication of any immediate medical attention and special treatment needed
	Symptomatic treatment.
	First aid supplies should be available on the workplace premises.

SECTION 5: Firefighting measures

5.1.	Extinguishing media
	Suitable extinguishing media
	alcohol-resistant fire-fighting foam, carbon dioxide CO ₂ , fire-extinguisher powders, dispersed water.
	Unsuitable extinguishing media
	Do not direct dense jets of water onto the surface of a burning product.
5.2.	Special hazards arising from the substance or mixture
	Flammable liquid and vapour.
	Combustion products
	Toxic thermal decomposition products (N, P, S, or/and halogen in the molecule), as well as carbon monoxide
	and carbon dioxide (COx), nitrogen oxides (NOx) may be generated during combustion.
	Explosive mixtures
	Some components may form explosive mixtures with air under favourable thermal conditions.
5.3.	Advice for firefighters
	Use standard firefighting methods for extinguishing chemical fires.
	Use water to cool containers exposed to high temperatures, and if possible, remove them from the area affected.
	Use water spray jets to disperse vapours.
	Prevent from entering contaminated water and other extinguishing agents into sewage system and ground
	water.
	Fire-fighter protective equipment
	Full personal protective equipment.
	Self-contained breathing equipment.

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Keep only in the original container.

Keep away from sunlight, as well as heat and ignition sources. Do not store together with foodstuffs and animal feed.

Do not handle until all safety precautions have been read and understood.

Revision: 11.10.2024

ver. 3.0 Page: 5/10

SECTIO	N 6: Accidental release measures
6.1.	Personal precautions, protective equipment and emergency procedures
	Provide adequate ventilation. Avoid contact with eyes and skin. Wear appropriate protective equipment. Remove all sources of ignition. Keep all persons not equipped with personal protection equipment away. In case of a discharge of a significant volume of the mixture, warn its users and order all bystanders to leave the contaminated area. Risk of slipping on spilt product.
6.2.	Environmental precautions
	Prevent environmental contamination. Protect drains. In case of serious contamination of soil, watercourse or sewage system, notify the appropriate authorities.
6.3.	Methods and material for containment and cleaning up
	Secure any damaged packaging. Ventilate the area affected and avoid inhaling vapours. Collect mechanically and with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite). Place all contaminated mass collected in a substitute container and send it for disposal in accordance with the local regulations. Rinse the contaminated surface with plenty of water. Use non-sparking tools.
6.4.	Reference to other sections
	See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
SECTIO	N 7: Handling and storage
7 4	Descentions for sofe handling
7.1.	Precautions for safe handling
	Recommendations for handling the mixture
	Provide adequate ventilation. Avoid contact with eyes and skin.
	Avoid inhaling product vapours/ spray.
	General industrial health and safety regulations
	Do not eat, drink or smoke when using this product.
	Wash hands thoroughly after handling.
	Replace contaminated clothing.
	Wash contaminated clothing before reusing.
	Guidance on fire and explosion prevention
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	In case of usage and/or insufficient ventilation, highly-explosive and flammable mixtures may form.
	Prevent accumulation of electrostatic charges.
	Use non-sparking tools.
7.2.	Conditions for safe storage, including any incompatibilities
	Storage rooms must be ventilated.
	Keep container tightly closed.
	Store in a dry and cool place.

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 6/10

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace

Nome of the chamical	Limit values					
Name of the chemical	CAS	Lo	ong-term	Sh	ort-term	Comments
agent		ppm	mg/m ³	ppm	mg/m ³	
Ethanol	64-17-5					-
Propan-2-ol	67-63-0	400	999	500	1250	-
Formic acid	64-18-6	5	9,6	-	-	-

DNEL / PNEC

No data available

8.2. Exposure controls

Appropriate engineering controls

Workstations and storage rooms must be well ventilated to keep the dust/vapour concentrations in the air below their limit values.

Individual protection measures



Eye or face protection

In case of danger, use safety goggles compliant with the EN 166 standard. **Skin protection**



Hand protection

In case of danger, use chemical-resistant protective gloves compliant with the EN 374 standard. Recommended material: vinyl gloves.

Select glove material based on breakthrough time, rate of penetration and degradation.

It is recommended to change gloves regularly and immediately replace them if they have any signs of wear, damage (tears, holes) or their appearance changes (colour, flexibility, shape).

Body protection

Suitable protective clothing.

The type of protective equipment must be selected based on the quantity and concentration of hazardous substances in the given work environment.

Respiratory protection

In case of hazard due to the mixture vapours levels exceeding allowable levels in the air (e.g. due to ventilation failure), wear respiratory protection equipment.

Environmental exposure controls

Do not discharge into drains and groundwater.

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 7/10

SECTION 9: Physical and chemical properties				
9.1.	Information on basic physical and chemical properties			
	Physical state	Liquid		
	Colour	Transparent, light yellow		
	Odour	Characteristic		
	Melting point/freezing point	No data available		
	Boiling point or initial boiling point and boiling	74 - 100°C		
	range			
	Flammability	No data available		
	Lower and upper explosion limit	3.3-19% vol (ethanol)		
	Flash point	28°C (by analogy)		
	Auto-ignition temperature	No data available		
	Decomposition temperature	No data available		
	рН	7,0 ± 1,0		
	Kinematic viscosity	No data available		
	Solubility	Soluble in water		
	Partition coefficient n-octanol/water (log value)	No data available		
	Vapour pressure	No data available		
	Density and/or relative density	0,954 ± 1,0 g/cm3 (25°C)		
	Relative vapour density	No data available		
	Particle characteristics	Not applicable		
9.2.	Other information			
	Information with regard to physical hazard classes			
		No data available		
	Other safety characteristics			
		No data available		

SECTION 10: Stability and reactivity	
10.1.	Reactivity
	The mixture is not chemically reactive if stored and used under proper conditions.
10.2.	Chemical stability
	The mixture is chemically stable if stored and used under proper conditions.
10.3.	Possibility of hazardous reactions
	Reacts vigorously with strong oxidants. May cause fire or explosion.
10.4.	Conditions to avoid
	Avoid direct sunlight, sources of heat and fire.
10.5.	Incompatible materials
	Strong oxidants
10.6.	Hazardous decomposition products
	Not present when handled as intended.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Based on available data, the classification criteria are not met. <u>Ethanol</u> [CAS 64-17-5] LD50 (oral, rat): 6.2 - 17.8 g / kg LD50Lo (skin, rabbit): 20,000 mg / kg

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 8/10

Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Carcinogenicity
Germ cell mutagenicity Based on available data, the classification criteria are not met.
May cause an allergic skin reaction.
Causes serious eye irritation. Respiratory or skin sensitisation
Serious eye damage/irritation
Causes skin irritation.
LC50 (inhalation, rat): 124.7 mg / L Skin corrosion/irritation

SECTIO	N 12: Ecological information
12.1.	Toxicity
	Toxic to aquatic life with long lasting effects.
	Ethanol [CAS 64-17-5]
	LC50 fish: 11,200 ppm / 96 h (Oncorhychus mykiss)
12.2.	Persistence and degradability
	No data
12.3.	Bioaccumulative potential
	No data
12.4.	Mobility in soil
	No data
12.5.	Results of PBT and vPvB assessment
	This mixture does not contain substances that meet the criteria for PBT or vPvB in accordance with Annex XIII.
12.6.	Endocrine disrupting properties
	No data
12.7.	Other adverse effects
	No data

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with current regulations. Hand over any used packaging to an authorised company for disposal or reuse. Do not discharge into drains, sewage systems or surface waters. Store waste in original containers.

according to Regulation (EU) 2020/878 of 18 June 2020 r.

SOFT 99

20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022


Revision: 11.10.2024

ver. 3.0 Page: 9/10

Only completely emptied packaging can be recycled. Waste codes

Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).
- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents, as amended

15.2. Chemical safety assessment No data

SECTION 16: Other information

Full text of H-phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- **H310** Fatal in contact with skin.
- **H311** Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

according to Regulation (EU) 2020/878 of 18 June 2020 r.



20162 Eyewear cleaning and anti-fog wipes, 20 pcs.

Date of compilation: 28.02.2022

Revision: 11.10.2024

ver. 3.0 Page: 10/10

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause<br="" conclusively="" exposure="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="">the hazard>.</state></or>
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
Changes: sed	
Training adv	
-	Data Sheet before use.
	n procedures according to Regulation (EC) 1272/2008
Classification	based on calculation procedure and manufacturer data
Abbreviation	s and Acronyms:
	an Agreement concerning the International Carriage of Dangerous Goods by Road
-	ons Concerning the International Transport of Dangerous Goods by Rail
	ational Maritime Code for Dangerous Goods
	tional Air Transport Association
	angerous Goods Regulations by the "International Air Transport Association" (IATA)
	tional Civil Aviation Organization
	nical Instructions by the "International Civil Aviation Organization" (ICAO)
	arine Pollutant
	Harmonized System of Classification and Labelling of Chemicals
	pean Inventory of Existing Commercial Chemical Substances
	I Abstracts Service (division of the American Chemical Society)
	d No-Effect Level (REACH)
	ed No-Effect Concentration (REACH)
	concentration, 50 percent
	dose, 50 percent
	ata sheet was compiled based on of the safety data sheet provided by the manufacturer, literature data, online d the current state of knowledge.
Note to read	
The product	described in the safety data sheet should be stored and used in accordance with good industrial practices and ir
	vith all applicable legal regulations.
	ion contained in the safety data sheet is based on the current state of knowledge and is intended to describe the
	rms of health, safety and environmental regulations. It should not be considered a guarantee of any specific produc
properties.	
We cannot m	nake any representations or warranties regarding the accuracy or completeness of any information provided or the
	cifications of any products, substances or mixtures discussed herein.
	sponsible for creating conditions for the safe use of the product and for the consequences of its misuse.
	two EKOS S.C.
	sk, ul. Lubczykowa 5,
ekos@ekos.g	
eros@eros.g	